

千兆二 层管型 交换机 机架)



UT-RT6212U 系列



400 1144 149

8

7# 10

+86-755-81202008

+86-755-27886083

www.szutek.com



EN50155
 7 10/100Mbps M12 POE
 5 10/100/1000Mbps M12 4 BYPASS
 G1 G3 Bypass G2 G4 Bypass

MAC 16K
 SNMPv1/v2c/V3

QoS
 LLDP

trap PIS PIS



ARP MAC

TELNET
 VLAN

IGMP VLAN Vlan

UT-Ring STP/RSTP/MSTP
 Ping Traceroute



UT-RT6212U 12 5 M12 7 M12 POE
 PIS



IEEE 802.3 IEEE 802.3u IEEE 802.3x IEEE 802.1p IEEE 802.1Q IEEE 802.1D IEEE 802.1s IEEE 802.1w IEEE 802.1X IEEE 802.3ab IEEE 802.3z IEEE 802.3ad IEEE 802.1ab IEEE 802.3 af IEEE 802.3 at

SNMP v1/v2c/V3 DHCP Server POE NTP RMON QoS LLDP ARP POE

SSH Telnet NAT ACL 802.1

VLAN / IGMP-Snooping

UT-Ring STP/RSTP/MSTP

Ping Tracerroute

M12 10/100/1000Base-T(x), 8-Pin M12(Female), MDI/MDI-X Bypass POE M12 10/100Base-T(x), 4-Pin M12(Female), MDI/MDI-X 30W POE

Console POE CLI 1 3 2 4 RS-232 RJ45

POE Link /speed RUN P1 P2 ALM : POE()

MAC 148810pps 1488100pps 16K 56G 12M

24VDC(16.8-32VDC) or 110VDC (66-160VDC)

3 5.08mm 15W(POE) 90W(POE)

-40~75
-40~85
5% 95%

440mm× 200mm× 44mm

19 1U

4kg
M5

EN50155
EMS
IEC(EN)61000-4-2(ESD)
IEC(EN)61000-4-3(RS)
IEC(EN)61000-4-4(EFT)
IEC(EN)61000-4-5(Surge)
IEC(EN)61000-4-6(CS)
IEC(EN)61000-4-8(PFMF)
IEC 60068-2-27(Shock)
IEC 60068-2-32(Freefall)
IEC61373
IEC60068-2-32
IEC61373

