

Model:UT-7318

PCIE 8 RS232/485/422

UT-7318

PCIE 8 RS232/485/422

-
-
-



-
-

UT-7318 PCI-E RS-232 RS-485 RS-422 PCI-E
RS-232 RS-485 RS-422 8 2500Vrms
DC500V RS-232 RS-485 RS-422
TSS THYRISTOR SURGE SUPPRESSOR
TSS TSS
RS-232 RS-485 RS-422

VHDC168 1 DB9 8
PCI-E



RS-232:DCD RXD TXD DTR GND DSR RTS CTS
RS-485:Data+(A) Data-(B) GND
RS-422:TXD-(B) TXD+(A) RXD+(A) RXD-(B) GND
300bps-921.6Kbps
5 6 7 8
1 1.5 2
None Even odd Space Mark
RTS/CTS XON/XOFF
-40

RS-232 RS-485 RS-422

1 DB9 RS-232/485/RS-422 Port1-Port8

DB9 PIN	RS-232	RS-422	RS-485
1	DCD	TXD- (B)	
2	RXD	TXD+ (A)	
3	TXD	RXD+ (A)	Data+(A)
4	DTR	RXD- (B)	Data-(B)
5	GND	GND	GND
6	DSR		
7	RTS		
8	CTS		
9			

DB9针型



	1PC
	1PC
	1PC
	1PC
	1PC