



## UT-60026GC-24GT2GP-RNF



400 1144 149

8

7# 10

+86-755-81202008

+86-755-27886083

www.szutek.com






SC/ST/FC/SFP  
 / MDI/MDI-X  
 -40 ~75  
 IP40



UT-60026GC-24GT2GP-RNF

2 24  
 -40~75 EMC

IEEE802.3 IEEE802.3u IEEE802.3z IEEE802.3ab IEEE802.3x IP40 1600g  
 1000Base-X (SFP ) : 177mm× 133mm× 68mm  
 RJ45 10/100/1000Base-T MDI/MDI-X 250mmx205mmx108mm  
 100m -40 ~75  
 1310nm 20/40Km -40 ~85  
 1550nm 60/80/100/120Km 0-95%  
 1310nm 2Km  
 1488095pps EMI FCC Part 15 CISPR (EN55022) class A  
 EMS  
 IEC(EN)61000-4-2(ESD)  
 IEC(EN)61000-4-3(RS)  
 IEC(EN)61000-4-4(EFT)  
 IEC(EN)61000-4-5(Surge)  
 IEC(EN)61000-4-6(CS)  
 IEC(EN)61000-4-8  
 IEC 60068-2-27(Shock)  
 IEC 60068-2-32(Freefall)  
 MAC 8K  
 4.1Mbit  
 52G  
 10KB  
 12/24/48VDC(10.8-52.8VDC)  
 650mA@24Vmax( )



	1000Base-X		100Base-FX/1000Base-X
	10/100/1000Base-T		
UT-60026GC-24GT2GP-RNF	2	24	SFP

SFP

SC/ST/FC