

# UT-65208F



400 1144 149

8 7# 10  
+86-755-81202008  
+86-755-27886083  
www.szutek.com





- 4 (RS232/485/422) TCP TCP
- UDP Transparent/modbus
- 802.3x
- STP/RSTP/MSTP UT-Ring
- IGMP Snooping v1/v2c/v3
- VLAN IEEE 802.1Q VLAN
- !
- QOS COS DSCP 4 WRR SP
- ACL 802.1x
- CLI WEB SNMP
- UT-Ring



UT-65208F

(RS232/485/422)

console

CLI

-40~85

EMC

IEEE 802.3u IEEE 802.3z IEEE 802.3 IEEE 802.1D  
 IEEE 802.1W IEEE 802.1s IEEE 802.3x IEEE 802.1Q  
 IEEE 802.1p IEEE 802.1x

100Base-FX SC/FC/ST  
 1000Base-X SC/FC/ST  
 RJ45 10/100Base-T(X) MDI/MDI-X  
 RS232/485/422

|   | RS232   | RS485   | RS422   |
|---|---------|---------|---------|
| 1 | T/R+( ) | T/R+( ) | T/R+( ) |
| 2 | T/R-( ) | T/R-( ) | T/R-( ) |
| 3 | -       | -       | RX+( )  |
| 4 | -       | -       | RX-( )  |
| 5 | GND( )  | -       | -       |

300-921600bps  
 None Odd Even Mark Space  
 8  
 2

100m

1310nm 20/40Km  
 1550nm 60/80/100/120Km  
 1310nm 2Km

148810pps  
 1488095pps

MAC 8K  
 1Mb  
 7.6G  
 1632B

12/24/48VDC(10.8-52.8VDC)

375mA@24Vmax( )

IP40  
 1.5kg

W×H×D : 70mm×150mm×120mm

250mmx205mmx108mm

-40 ~85  
 -40 ~85  
 0-95%

EMI  
 FCC Part 15 CISPR (EN55022) class A  
 EMS  
 IEC(EN)61000-4-2(ESD)  
 IEC(EN)61000-4-3(RS)  
 IEC(EN)61000-4-4(EFT)  
 IEC(EN)61000-4-5(Surge)  
 IEC(EN)61000-4-6(CS)  
 IEC(EN)61000-4-8  
 IEC 60068-2-27(Shock)  
 IEC 60068-2-32(Freefall)

