

UT-2601G

#




400 1144 149

8 7# 10
+86-755-81202008
+86-755-27886083
www.szutek.com



#



-
-
- 10/100/1000Mbps
-
-
- -40 85
- 12/24/48VDC(10.8-52.8VDC)
- SC ST FC SFP



UT-2601G

\$ 10/100/1000Base-T

\$ 1000Base-X

-40~85

EMC

IEEE802.3 IEEE802.3u IEEE802.3z IEEE802.3ab IEEE802.3x

1488095pps

\$ 1000Base-X SC ST FC SFP
 RJ45 1 10/100/1000Base-T "
 MDI/MDI-X
 LED : PWR FDX

MAC 1K
 1Mb
 4G
 10KB

		1000Base-X			
		1310	1310	1310	1550
	nm	1310	1310	1310	1490
(T)	nm	1550	1550	1550	1550
	nm	1550	1550	1550	1550
(R)	nm	1310	1310	1310	1490
	km	2	20	40	80
	dBm	-6~-1	-9~-3	-2~3	-2~3
	dBm()	-21	-23	-23	-24
	dBm	0	-3	-3	-3
	dBm/km	0.5	0.5	0.3	0.25
		10/100/1000Mbps			

12/24/48VDC(10.8~52.8VDC)
 100mA@24Vmax
 \$ &

IP40

100mm x 80mm x 35mm

180mm x 140mm x 45mm
 0.45Kg

-40 85
 -40 85
 # 95%


UT-2601GRSM-SC-40 -R-
 -SM-
 -SC- SC
 -40- 40km

EMI
 FCC Part 15 Subpart B classA EN55022 class A
 EMS
 IEC(EN)61000-4-2(ESD)

50/125 62.5/125
 8.3/125 9/125 10/125

IEC(EN)61000-4-3(RS)
 IEC(EN)61000-4-4(EFT)
 IEC(EN)61000-4-5(Surge)

IEC(EN)61000-4-6(CS)
 IEC(EN)61000-4-8
 IEC 60068-2-27(Shock)



	10/100/1000Base-T		1000Base-X	
	10/100/1000Base-T	1000Base-X		
UT-2601GSM-SC	1	1		SC
UT-2601GSM-ST	1	1		ST
UT-2601GSM-FC	1	1		FC
UT-2601GMM-SC	1	1		SC
UT-2601GMM-ST	1	1		ST
UT-2601GMM-FC	1	1		FC
UT-2601GP	1	1		SFP

SC 20KM " SM" " MM" " R" (fl " T" (fl UT-2601GRSM-SC