

# 千兆网络光纤收发器

## UT-2602G系列

\$



**深圳市宇泰科技有限公司**

全国统一服务热线：400 1144 149

8 7# 10

+86-755-81202008

+86-755-27886083

www.szutek.com





- 
- 
- 10/100/1000Mbps
- 
- 
- -40 85
- 12/24/48VDC(10.8-52.8VDC)
- SC ST FC SFP



UT-2602G

10/100/1000Base-T

1000Base-X

-40~85

EMC

**标准**

IEEE802.3 IEEE802.3u IEEE802.3z IEEE802.3ab IEEE802.3x

**接口**

1000Base-X SC ST FC SFP

RJ45 10/100/1000Base-T

MDI/MDI-X

LED指示灯: PWR FDX

		1000Base-X			
		1310	1310	1310	1550
(T)	nm	1310	1310	1310	1490
	nm	1550	1550	1550	1550
(R)	nm	1550	1550	1550	1550
	nm	1310	1310	1310	1490
	km	2	20	40	80
	dBm	-6~-1	-9~-3	-2~3	-2~3
	dBm( )	-21	-23	-23	-24
	dBm	0	-3	-3	-3
	dBm/km	0.5	0.5	0.3	0.25
		10/100/1000Mbps			

UT-2602GRSM-SC-40 -R-

-SM-

-SC- SC

-40- 40km

50/125 62.5/125

8.3/125 9/125 10/125

**交换性能**

1488095pps

MAC 1K

1Mb

6G

10KB

**电源需求**

12/24/48VDC(10.8-52.8VDC)

100mA@24Vmax

**机械特性**

IP40

**机械尺寸**

100mm x 80mm x 35mm

**包装尺寸**

180mm x 140mm x 45mm

0.47kg

**工作环境**

-40 85

-40 85

95%

**行业标准**

EMI FCC Part 15 Subpart B classA EN55022 class A

EMS

IEC(EN)61000-4-2(ESD)

