



5. 媷偿胀贝莱卉性竳胀

RS-485/RS-422 舋灌廭翟类摺槄慌蔱

DB9 嗚矽/藻嗜(PIN)	舋还翟类	RS-422 广赖坶肷旴	RS-485 撅赖坶肷旴
1	T/R+	篮 (A+)	RS-485 (A+)
2	T/R-	篮(B-)	RS-485 (B-)
3	RXD+	镡(A+)	帗
4	RXD-	镡(B-)	帗
5	GND	伤旴	伤旴
6	N/A		
7	N/A		
8	N/A		
9	N/A		


RS-485/RS-422 舋还廭翟类摺槄慌蔱

闥晌塄蘸贋崣杈暨踆圭泪 彛2鈜




7. 泊骂竎竷絪絅(賺喙賺矑) 筕颃





8. 昖觞妆滞洒





9. 醪聉謉侼巜惊炼竎竷髅笀丂

UTEK®

产品名称:接口转换器

型 号:UT-209 额定电压:9~24VDC

额定电流:100mA

产 地:中国制造 **(£ F**)

丽嵑	鹁蘀巜菌滁丂	
惊瘣堿	1PCS	
割劋辭	1PCS	
筕颃 毖	1PCS	
啗瓚	1PCS	
嗚藻肷旴鳝	1PCS	
圭詌肷旴鳝	1PCS	
泊骂礼鼬竷	1PCS	

11出 惊瘣瘵搦莱污恛髅笀



惊瘣堿妆滞蛄へ280々160々65mm

鄒: 唭泊璺类丰唭泊裾趱豺昭跲絃俶饱恒ギ

12出 蚤愤艼舋睮詣

蚤愤嫻蓊へ-40 蓊伙+85 蓊. 塷治纈蓊饱 5%伙 95%

- 13 型 剑坶/旼瘣/占瘣鄒渑宾鈡巜镭茊丂
- 14出 贵嗜阔鹁埄鄶笛瘵賺巜镭茊丂
- 15出 泊骂絅敌莱翥饯巜镭茊丂