

UT-509



1	EIA/TIA	RS-485/RS-422			
2	RS-422/RS-485				
	RS-422/RS-485				
3	RS-422	RS-485	600W	15KV ESD	.
4	2500Vrms	500DC	.DC/DC		
5					
6		PWR	TXD	RXD	
7					
8	300-115.2Kbps				
9	120mm	80mm	25mm		
10	-40	85	5%	95%	
11	0-5,000	115200bps-9600bps			



RS-485/RS-422

(PIN)		RS-422	RS-485
1	T/R+	(A+)	RS-485 (A+)
2	T/R-	(B-)	RS-485 (B-)
3	RXD+	(A+)	
4	RXD-	(B-)	
5	N/C		
6	N/C		
7	GND2		
8	N/C		
9	N/C		
10	N/C		

RS-485/RS-422

(PIN)		RS-422	RS-485
1	T/R+	(A+)	RS-485 (A+)
2	T/R-	(B-)	RS-485 (B-)
3	RXD+	(A+)	
4	RXD-	(B-)	
5	N/C		
6	N/C		
7	GND1		
8	N/C		
9	VCC	9V-30V DC	9V-30V DC
10	GND		





UOTEK
产品名称: 接口转换器
型号: UT-509
额定电压: 9~30VDC
电源功耗: 60mA@9Vmax
产地: 中国深圳

	1PCS
	1PCS
	1PCS
	1PCS
	1PCS



-40 +85 , 5% 95%