

UT-520

1.

UTEK

Logo



2.

UT-520
VER. 01

3.

RS-485

4.

EIA/TIA RS-485

RS-485

RS-485

RS-485

600W

+/-15KV ESD

2500Vrms

500DC

.DC/DC

PWR

TXD

RXD

300-115.2Kbps

120mmX80mmX25mm

-40

85

5%

95%

0-5,000

115200bps-9600bps

5.


2Port RS-485

(PIN)		RS-485
1	D1+	RS-485 (A+)
2	D1-	RS-485 (B-)
3	GND1	1
4	D2+	RS-485 (A+)
5	D2-	RS-485 (B-)
6	GND3	3
7	N/C	
8	N/C	
9	N/C	
10	ETH	

2Port RS-485

(PIN)		RS-485
1	D1+	RS-485 (A+)
2	D1-	RS-485 (B-)
3	GND2	2
4	D2+	RS-485 (A+)
5	D2-	RS-485 (B-)
6	GND4	4
7	N/C	
8	N/C	
9	VCC	9V-30V DC
10	GND	

6.



7. ()

8.

9.



10.

	1PCS
	1PCS
	1PCS
	1PCS
	1PCS
	1PCS

11.



280× 160× 65mm

:

12.

-40 +85 , 5% 95%

13. / /

14.

15.