

UT-860

USB

1.

UTEK

Logo



2.

UT-860
VER: 01

3.

USB RS-232

4.


1	USBV1.0	1.1	2.0	EIA RS-232						
2	USB	VCC	DATA+	DATA-	GND	FG				
3	RS-232	DCD	RXD	TXD	DTR	GND	DSR	RTS	CTS	RI
4										
5										
6		300-921.6Kbps								
7		RS-232	5	USB		5				
8		± 15KV								
9		USB B					DB9			
10					PWR			TXD		RXD
11										
12		210mm×	130mm×	32mm						
13		-40	85					5%	95%	
14		Win98/Win2000/WinXP/Vista/Win7/Linux								
15										

5.

1 DB9 RS-232


DB9(PIN)	RS-232C
1	
2	SIN (RXD)
3	SOUT (TXD)
4	DTR
5	GND
6	DSR
7	RTS
8	CTS
9	RI

DB9针型



USB-B USB

DATA- ← → VCC




6.





7.

()



8.



9.

WOTTEK[®]
产品名称: 接口转换器
型号: UT-860
额定电压: 9~48VDC (9VDC)
额定电流: 350mA
产地: 中国制造

CE FC

10.

	1PCS
	1PCS
	1PCS
	2PCS
	1PCS
	1PCS
	1PCS
USB	1PCS

11.



330× 250× 65mm

:

12.

-40 +85 , 5% 95%

13.

/ /

14.

15.