

-5510A

4

,

4

/

1.0	2016-9-22	



-5510A / 8 4 8 4  
 -  
 -485  
 115200

2.1



2.2

			1	1
			1	1
A A+	485 A		1	1
A A-	485		2	2
			2	2
.			2	2
0	1		3	3
1	2		3	3
2	3		4	4
3	4		4	4

2.3

- ◆ 4
- ◆ 4
- ◆ -
- ◆ 1200/2400/4800/9600/19200/38400/57600/115200
- ◆ 1 8 1
- ◆ 1 247
- ◆ 485

- ◆ +9 +30
- ◆ 300 A@9
- ◆ 0 24
- ◆ 62.5 A, 60
- ◆ 2500
- ◆ -40 +85
- ◆ -40 +85
- ◆ 5% 95%

3.1

1979

3.2

	1	0 01 0 7
	1	0 02 0 01
	2	0 0000
	2	0 0004
	2	

0 A001(1010 0000 0000 0001) ( )

	1	0 01 0 7
	1	0 02/0 01
	1	1
	1	/ 1
	2	

1

7	6	5	4	3	2	1	0
				3	2	1	0

0 0, 0 0 1, 0

7	6	5	4	3	2	1	0
				3	2	1	0

0 0, 0 0 1, 0

3.3  
(1)

	1	0 01 0 7
	1	0 05
	2	0 0000: 1 0 0001: 2 0 0002: 3 0 0003: 4
	2	0 0000: 0 00:
	2	

	1	0 01 0 7
	1	0 05
	1	0 0000 0 0003
	1	0 0000/0 00
	2	

(2)

	1	0 01 0 7
	1	0 0
	2	0 0000
	2	0 0004
	1	0 01
	1	0 00 0 0 ( 2)
	2	

	1	0 01 0 7
	1	0 0
	2	0 0000
	2	0 0004
	2	


2

7	6	5	4	3	2	1	0
				3	2	1	0

0 0, 0 0 1, 0

3.4

(, (□



### 3.6

	1	0 01 0 7
	1	0 03
	2	0 1388
	2	0 0001
	2	

	1	0 01 0 7
	1	0 03
	1	0 02
	2	0 0001 0 00 7
	2	

(7)

	1	0 01 0 7
	1	0 03
	2	0 1389
	2	0 0001
	2	

	1	0 01 0 7
	1	0 03
	1	0 02
	2	0 0000 0 0007
	2	

## 4.1

	0 01
	9600
1	
2	
3	
4	
1	
2	
3	
4	

## 4.2